

### **Claim Amendment**

Claim 1 (original) A one touch-type container stopper, comprising:  
 a hermetically sealing part having a plurality of first supporting protrusions at a lower end thereof, the first supporting protrusions being formed to protrude inwardly such that they are elastically supported along an outer peripheral surface of a mouth of the container, the sealing part being fitted around the mouth to seal the container; and  
 a cover part having a hinge part formed integrally with and extending from the first supporting protrusions and then bent, and a plurality of second supporting protrusions at a lower end thereof to protrude inwardly therefrom, the cover part being positioned outside of the sealing part,  
 wherein the second supporting protrusions are connected to one another through a band member.

Claim 2 (original) A one touch-type container stopper, comprising:  
 a hermetically sealing part having a plurality of first supporting protrusions at a lower end thereof, the first supporting protrusions being formed to protrude inwardly such that they are elastically supported along an outer peripheral surface of a mouth of the container, the sealing part being fitted around the mouth to seal the container; and  
 a cover part having a hinge part formed integrally with and extending from the first supporting protrusions and then bent, and a second supporting protrusion at a lower end thereof to protrude inwardly therefrom, the cover part being positioned outside of the sealing part.

Claim 3 (currently amended) The one touch-type container stopper as claimed in claim 1 ~~or~~ 2, wherein the height of the cover part is larger than that of the sealing part.

Claim 4 (currently amended) The one touch-type container stopper as claimed in claim 1 ~~or~~ 2, wherein a friction member is further provided between the sealing part and the cover part.

Claim 5 (currently amended) The one touch-type container stopper as claimed in claim 1 ~~or~~ 2, wherein the hinge part has an inclination such that the sealing part side is at a level higher than that of the cover part side.

Claim 6 (currently amended) The one touch-type container stopper as claimed in claim 1 ~~or~~ 2, wherein a cover member is further provided at a lower end of the cover part to surround the second supporting protrusions or protrusion.

Claim 7 (original) A container, comprising:  
 a body portion of the container having a first catching projection at an upper end of a mouth thereof, and a second catching projection formed below the first catching projection, the second catching projection having an outer diameter larger than that of the first catching projection; and  
 a stopper having a hermetically sealing part fitted around the mouth to seal the container, and a cover part positioned outside of the sealing part,  
 wherein the sealing part is provided with a plurality of first supporting protrusions at a lower end thereof to protrude inwardly such that they are caught and elastically supported by the first catching projection, and  
 the cover part is provided with a hinge part formed integrally with and extending from the first supporting protrusions and then bent, and a plurality of second supporting protrusions at a lower end thereof to protrude inwardly therefrom, the second supporting protrusions being connected to one another through a band member.

Claim 8 (original) A container, comprising:  
 a body portion of the container having a first catching projection at an upper end of a mouth thereof, and a second catching projection formed below the first catching projection, the second catching projection having an outer diameter larger than that of the first catching projection; and  
 a stopper having a hermetically sealing part fitted around the mouth to seal the container, and a cover part positioned outside of the sealing part,

wherein the sealing part is provided with a plurality of first supporting protrusions at a lower end thereof to protrude inwardly such that they are caught and elastically supported by the first catching projection, and

the cover part is provided with a hinge part formed integrally with and extending from the first supporting protrusions and then bent, and a second supporting protrusion at a lower end thereof to protrude inwardly therefrom.

Claim 9            (currently amended)            The container as claimed in claim 7 ~~or 8~~,  
wherein a hermetically sealing member is further provided between the mouth of the body portion of the container and the sealing part.